


가

iVu Plus BCR

가

가

PC



가 iVu Plus BCR

가

CD www.bannerengineering.com

- iVu Plus BCR Gen2 (; P/N 179049)
- iVu Plus BCR Gen2 (; P/N 179050)
- iVu Plus BCR Gen2 (P/N 179047)
- iVu Plus 가 (P/N B_3095133)

가



가 가 가 가




(ESD)

iVu Plus BCR 가 Banner 3
 3 M4 x 4 mm 3


1: iVu



가 iVu Plus , I/O (C) I/O



- A USB
- B
- C I/O




I/O			
1		1	
2		10~30 V dc	
3		2	
4		(5 V dc)	
5			
6			
7		()	
8			
9		3	
10		RS-232 TX	
11		RS-232	
12		RS-232 Rx	

가 iVu Plus

, I/O (B)

I/O



A

B I/O

C USB

D



: C-

I/O			
1		1	
2		10~30 V dc	
3		2	
4		(5 V dc)	
5			
6			
7		()	
8			
9		3	
10		RS-232 TX	
11		RS-232	
12		RS-232 Rx	

iVu Plus BCR

가



: > >

iVu Plus BCR


가

가

1

10

>



/ , / , /
.
.
.
.
.
.
.
.
.
1, 2, 3
1 , 2 , 3 가 3가 가
1 : (Pulsed) (Latched) 50 ms 가


- —
- —
- —
- —

	가
	가 가
	가


	가 () 가
	가 가 가
) (

iVu


1. > >
2.
 - ()
 - Banner
 - 가
3. > >
 - > >



- > >



4. > >



1. 1/16

(D)

(B) iVu

2.

가



[Redacted text]

가



3.

	A	
	B	
	C	
	D	
	E	()
	F	()
	<p>[Redacted text]</p>	

C


- 1.
- 2.
- 3.

가

C	
	A C
	B
	C ()
	D ()
	E
: <input style="width: 200px;" type="text"/>	


iVu Plus BCR

1. > > >



DataMatrix , DataMatrix

2. > > > (1 ~ 10)



- 가
- 가 (가)

iVu Plus BCR

3,200

> > >

가

가

가

가

가

가

가

가




: 가

, 가


가

가


1. > > > >




2. > > > >



3.



4.



가

iVu Plus BCR

가

5 가


가

:

- -
- -
- -
- -
- -

iVu

> >



-

-

가

가

(> > >)

가 가 가 가 가

- (> >)— 가
- (> > >)— 가



:

- 가 가

> > >) 가 가 (



: 가 -

가 가 I/O I/O


)' Ethernet Only()' 가 'Continuous Scan('Industrial

iVu Plus

iVu Plus IP	TCP	UART (RS-232)	iVu Plus
iVu Plus BCR port(port())	RS-232 ()	Main Menu() > System() > Communications() > Data Ex- port() > Data Ex- port()	Data Ex- port() > Data Ex- port()
Serial Output(I/O(I/O))		Main Menu() > System() > Communications() > Serial	
RS-232			
	()		
	()		
	()		
Ethernet Output(Ethernet I/O(I/O))		Main Menu() > System() > Communications() >	
	IP ()		
	()		
	()		

- / :
-
-
-
-
-
-
- (ms)
- :
-
-
-

iVu Plus BCR 4 Main Menu() > System() > Communi-
 cations()



- - ASCII 가 iVu Plus
- - 가 /IP, Modbus/TCP PCCC
- -
- -

가 I/O ().


	1		2		3	
		I/O		I/O		I/O

1. Main Menu() > Inspection() > Stored Inspections()

Add New(가)



2. Rename()




3. Done() 가

1. Home()

가



2. Start Running()



ID

Name/ID(/ID) ID Main Menu() > Inspection() > Stored Inspections() > Set

Banner Engineering Corp

Banner Engineering Corp. 1 Banner Engineering Corp.
 Banner Engineering Corp. Banner Engineering Corp.
 Banner Engineering Corp. BANNER ENGI -
 NEERING CORP. 가
 Banner Engineering Corp. 가 Banner Engineering Corp.