









18 X 16 LID

SUB PANEL OR SWING PANEL


DES. C.R.W.	DRN. C.R.W.	CHKD. C.R.W.	SCALE	CUSTOMER
APP. DATE 10/16/07	SCALE			
TOLERANCES:	2 PLACE DEC. ± .010	FRAC. ± 1/64		
UNLESS OTHERWISE SHOWN	3 PLACE DEC. ± .005	4 PLACE DEC. ± .0005		
PART NAME ENCLOSURE & LID	PART NO.	PART MATL POLYCARBONATE	SHRINK .006/IN.	SHEET OF
TOOL DESC. SINGLE CAVITY INJECTION MOLD				





ADJUSTABLE FOOT MOUNT




RETRACTING PANEL HINGE




UPPER LATCH




LID HINGE CAP





PLUG



FLUSH PANEL MOUNT



LOWER LATCH



DES.	C.R.W.	DRN.	C.R.W.	CHKD.
APP.	DATE	10/16/07	SCALE	
TOLERANCES:		2 PLACE DEC.	±.010	FRACTION
UNLESS OTHERWISE SHOWN		3 PLACE DEC.	±.005	±1/64
		4 PLACE DEC.	±.0005	

PART NAME		ENCLOSURE & LID	PART NO.	PART MATL	POLYCARBONATE
TOOL DESC.		SINGLE CAVITY INJECTION MOLD	SHRINK	.006/IN.	SHEET OF